Author Index

Aburada, M., see Takeda, S. 447
Adachi, Y.
——, Mizuno, S. and Yoshida, M.
Efficient large-scale purification of non-histone chromosal proteins HMG1 and HMG2 by using Polybuffer-exchanger PBE94 39
Ahmed, A. E., see Loh, J.-P. 367
Akira, K., see Baba, S. 1
Akiyama, S., see Nakashima, K. 154
Al-Ani, M. R., see Hassan, N. A. 102
Allan, S. M., see Moody, J. P. 19
Anazawa, A., see Tokuda, T. 418
Anttila, M., see Vuorilehto, L. 137
Aoi, K., see Azekawa, T. 47
Asami, A., see Takeda, S. 447
Azekawa, T.
——, Sano, A., Aoi, K., Sei, H. and Morita, Y.
Concurrent on-line sampling of melatonin in pineal microdialysates from conscious rat and its analysis by high-performance liquid chromatography with electrochemical detection 47
Baba, S.
——, Akira, K. and Seyama, Y.
Use of radio-gas chromatography and tritium label to optimize derivatization procedures 1
Bamonte, F., see Dionisotti, S. 458
Barbier, C., see Said, R. 11
Bhamra, R. K., see Eastwood, R. J. 463
Björkland, H. V.
Analysis of oxolinic acid in fish by high-performance liquid chromatography 75
Böcker, R. H.
——, Preuss, E. and Peter, R.
High-performance liquid chromatography of the metabolites of nitrendipine and investigation into the metabolic pathways of this dihydropyridine 206
Breimer, L. T. M., see Vletter, A. A. 177
Brodie, R. R., see Morris, G. R. 377
Brown, R. R., see Crawmer, B. P. 407
Brune, K., see Moeller, N. 200
Burm, A. G. L., see Vletter, A. A. 177
Carfagnini, G.
——, Di Corcia, A., Marchetti, M. and Samperi, R.
Antidepressants in serum determined by isolation with two on-line sorbent cartridges and liquid chromatography 359
Chasseaud, L. F., see Morris, G. R. 377
Chesson, S. M., see Hsu, R. A. 170
Chiou, S.-H., see Lo, C.-H. 129
Cipollaro, M., see Nardi, G. 122
Colombo, L.
——, Marcucci, F., Marini, M. G., Pierfederici, P. and Mussini, E.
Determination of ambroxol in biological material by gas chromatography with electron-capture detection 141
Condado Rodriguez, J. A., see Contreras De Condado, M. C. 164
Contreras De Condado, M. C.
——, Quintana De Gainzarain, A., Mendoza Mujica, I. and Condado Rodriguez, J. A.
High-performance liquid chromatography of mexiletine in plasma 164
Conzentino, P., see Eisenberg, E. J. 65
Cook, J. A., see Crawmer, B. P. 407
Corcia, A. Di, see Carfagnini, G. 359
Crawmer, B. P.
——, Cook, J. A. and Brown, R. R.
Determination of amifloxacin and two of its principal metabolites in plasma and urine by high-performance liquid chromatography using automated column switching 407
Cundy, K. C., see Eisenberg, E. J. 65
Da Prada, M., see Zürcher, G. 253
Desiderio, D. M., see Liu, D. 235
De Wolf, F. A., see Edelbroek, P. M. 347
Di Corcia, A., see Carfagnini, G. 359
Dierickx, P. J.
Selective elution of soluble rat liver glutathione transferases from a glutathione-Sepharose affinity column 263
Dietzel, K., see Moeller, N. 200
DiLeo, E. M., see Hsu, R. S. 170
Dionisotti, S.
——, Bamonte, F. and Monopoli, A.
High-performance liquid chromatographic assay of dilevalol, a β-adrenoceptor blocker, in rat and human plasma 458
Eastwood, R. J.
——, Galustian, C., Bhamra, R. K. and Holt, D. W.
High-performance liquid chromatographic method for the measurement of nicardipine in plasma or serum 463
Edelbroek, P. M.
——, Van Kempen, G. M. J., Hessing, T. J. and De Wolf, F. A.
Analysis of phenprocoumon and its hydroxylated and conjugated metabolites in human urine by high-performance liquid chromatography after solid-phase extraction 347

Eisenberg, E. J.
——, Conzentino, P., Liversidge, G. G. and Cundy, K. C.
Simultaneous determination of allopurinol and oxypurinol by liquid chromatography using immobilized xanthine oxidase with electrochemical detection 65
Fourtillan, J. B., see Girault, J. 295
Fujii, J.
——, Inotsume, N., Nakano, M., Matsukane, I., Higashi, A., Matsuda, I., Sudo, Y. and Takahata, Y.
Rapid determination of serum oxatomide levels with on-line precolumn solid-phase extraction 469
Fukasawa, K., see Harada, M. 116
Fukasawa, K. M., see Harada, M. 116
Galustian, C., see Eastwood, R. J. 463
Gassmann, E., see Steiner, V. 273
Geisslinger, G., see Moeller, N. 200
Girault, J.
——, Gobin, P. and Fourtillan, J. B.
Determination of calcium acetylhomotaurinate in human plasma and urine by combined gas chromatography–negative-ion chemical ionization mass spectrometry 295
Gobin, P., see Girault, J. 295
Gruetter, M., see Steiner, V. 273
Guenzi, A.
—— and Zanetti, M.
Determination of aniracetam and its main metabolite, N-anisoyl-GABA, in human plasma by high-performance liquid chromatography 397
Gupta, R. N.
Improved stability of phenylbutazone for its determination by liquid chromatography 160
Hamm, K., see Mross, K. 192
Hansen, B., see Linde, S. 29
Hansen, S. H., see Tjørnelund, J. 227
Harada, M.
——, Fukasawa, K. M., Hiraoka, B. Y., Fukasawa, K. and Mogi, M.
High-performance liquid chromatographic procedure for the determination of serum prolidase activity 116
Hartmann, D. J., see Ricard-Blum, S. 432
Hassan, N. A.
——, Al-Ani, M. R., Lafta, A. M. and Kassir, Z. A.
Value of breath hydrogen test in detection of hypolactasia in patients with chronic diarrhoea 102
Hasson, H.
—— and Warshaswky, A.
High-performance liquid chromatographic determination of *cis*-diamminedichloroplatinum(II) (cisplatin) as the *o*-phenylenediamine complex 219
Hata, T., see Takada, K. 212
Hayashibara, M., see Naora, K. 186
Herd, B., see Kamali, F. 222
Hessing, T. J., see Edelbroek, P. M. 347
Heyes, M. P.
—— and Quearry, B. J.
Quantification of kynurenic acid in cerebrospinal fluid: effects of systemic and central L-kynurenine administration 108
Higashi, A., see Fujii, J. 469
Higuchi, S., see Watari, N. 438
Hiltunen, R., see Seppänen-Laakso, T. 94
Hiraoka, B. Y., see Harada, M. 116
Hirayama, C.
——, Ihara, H. and Li, X.
Removal of endotoxins using macroporous spherical poly(γ-methyl L-glutamate) beads and their derivatives 148
Hirose, S., see Yoshida, S. 57
Holder, G. M., see Sugiyanto 337
Holt, D. W., see Eastwood, R. J. 463
Hosoya, E., see Takeda, S. 447
Hossfeld, D. K., see Mross, K. 192
Hrabák, P., see Tvrzická, E. 424
Hsu, R. S.
——, DiLeo, E. M. and Chesson, S. M.
High-performance liquid chromatography for the determination of tacrine and its metabolites in plasma 170
Hubbard, J. W., see Srinivas, N. R. 327
Huguet, C., see Said, R. 11
Humphries, C. A., see Moody, J. P. 19
Ichikawa, N., see Naora, K. 186
Ihara, H., see Hirayama, C. 148
Inotsume, N., see Fujii, J. 469
Iwamoto, K., see Naora, K. 186
Johnson, K. A., see Straka, R. J. 83
Kamali, F.
—— and Herd, B.
Liquid–liquid extraction and analysis of paracetamol (acetaminophen) and its major metabolites in biological fluids by reversed-phase ion-pair chromatography 222
Kamali, F.
—— and Rawlins, M. D.
Simple and rapid assay for zidovudine and zidovudine glucuronide in plasma using high-performance liquid chromatography 474

Kassir, Z. A., see Hassan, N. A. 102
Katagiri, Y., see Naoro, K. 186
Kawahara, Y., see Naganuma, H. 387
Kempen, G. M. J. van, see Edelbroek, P. M. 374
Kito, M., see Yoshida, S. 57
Knecht, R., see Steiner, V. 273
Laakso, I., see Seppänen-Laakso, T. 94
Lafta, A. M., see Hassan, N. A. 102
Li, X., see Hirayama, C. 148
Linde, S.
——, Nielsen, J. H., Hansen, B. and Welinder, B. S.
High-performance liquid chromatography of rat and mouse islet polypeptides: potential risk of oxidation of methionine residues during sample preparation 29
Linhart, I.
—— and Novák, J.
Biotransformation of diethenylbenzenes. II. Metabolic pattern of 1,4-diethenylbenzene 283
Liu, D.
——, Woods, G. W. and Desiderio, D. M.
Proenkephalin A and proopiomelanocortin peptides in human cerebrospinal fluid 235
Liversidge, G. G., see Eisenberg, E. J. 65
Lo, C.-H.
—— and Chiou, S.-H.
Simple fractionation of phospholipase A_2 analogues from snake venom by high-performance liquid chromatography 129
Loguercio, C., see Nardi, G. 122
Loh, J.-P.
—— and Ahmed, A. E.
Determination of camptothecin in biological fluids using reversed-phase high-performance liquid chromatography with fluorescence detection 367
Marchetti, M., see Carfagnini, G. 359
Marcucci, F., see Colombo, L. 141
Mareš, P., see Tvrzická, E. 424
Marini, M. G., see Colombo, L. 141
Marshall, P. S., see Straka, R. J. 83
Maschler, R., see Steiner, V. 273
Matsuda, I., see Fujii, J. 469
Matsukane, I., see Fujii, J. 469
Matsuzaki, Y., see Takeda, S. 447
Maurer, H. H.
Identification and differentiation of barbiturates, other sedative-hypnotics and their metabolites in urine integrated in a general screening procedure using compurterized gas chromatography–mass spectrometry 307
Mayer, U., see Mross, K. 192
Mendoza Mujica, I., see Contreras De Condado, M. C. 164
Midha, K. K., see Srinivas, N. R. 327
Mizumura, J., see Watari, N. 438
Mizuno, S., see Adachi, Y. 39
Moeller, N.
——, Dietzel, K., Nuernberg, B., Geisslinger, G. and Brune, K.
High-performance liquid chromatographic determination of pentazocine in plasma 200
Mogi, M., see Harada, M. 116
Monopoli, A., see Dionisotti, S. 458
Moody, J. P.
——, Humphries, C. A., Allan, S. M. and Paterson, C. R.
Determination of 7-dehydrocholesterol in human skin by high-performance liquid chromatography 19
Morita, Y., see Azekawa, T. 47
Morris, G. R.
——, Walmsley, L. M., Brodie, R. R. and Chasseaud, L. F.
Determination of ximoprofen and its metabolites in human urine by high-performance liquid chromatography with ultraviolet absorbance detection 377
Mross, K.
——, Mayer, U., Hamm, K. and Hossfeld, D. K.
High-performance liquid chromatography of iodo-doxorubicin and fluorescent metabolites in plasma samples 192
Muranishi, S., see Takada, K. 212
Mussini, E., see Colombo, L. 141
Naganuma, H.
—— and Kawahara, Y.
High-performance liquid chromatographic determination of loxoprofen and its diastereomeric alcohol metabolites in biological fluids by fluorescence labelling with 4-bromomethyl-6,7-methylenedioxycoumarin 387
Nakano, M., see Fujii, J. 469
Nakashima, K.
——, Suetsugu, K., Akiyama, S. and Yoshida, M.
High-performance liquid chromatography–chemiluminescence determination of methamphetamine in human serum using N-(4-aminobutyl)-N-ethylisoluminol as a chemiluminogen 154
Naora, K.
——, Katagiri, Y., Ichikawa, N., Hayashibara, M. and Iwamoto, K.
Simultaneous high-performance liquid chromatographic determination of ciprofloxacin, fenbufen and felbinac in rat plasma 186
Nardi, G.
——, Cipollaro, M. and Loguercio, C.
Assay of γ-glutamylcysteine synthetase and glutathione synthetase in erythrocytes by high-performance liquid chromatography with fluorimetric detection 122
Nielsen, J. H., see Linde, S. 29

Nishiyama, M., see Takada, K. 212
Novák, J., see Linhart, I. 283
Nuernberg, B., see Moeller, N. 200
Oh-Hashi, M., see Takada, K. 212
Ono, H., see Takeda, S. 447
Paterson, C. R., see Moody, J. P. 19
Peter, R., see Böcker, R. H. 206
Pierfederici, P., see Colombo, L. 141
Prada, M. Da, see Zürcher, G. 253
Preuss, E., see Böcker, R. H. 206
Quearry, B. J., see Heyes, M. P. 108
Quintana De Gainzarain, A., see Contreras De Condado, M. C. 164
Raschdorf, F., see Steiner, V. 273
Rawlins, M. D., see Kamali, F. 474
Remmel, R. P., see Straka, R. J. 83
Ricard-Blum, S.
——, Hartmann, D. J. and Ville, G.
Polyacrylamide gel electrophoresis and immunoblotting of native collagen molecules using the Phast system. Application to type XI collagen 432
Robinet, D., see Said, R. 11
Ryan, A. J., see Sugiyanto 337
Said, R.
——, Robinet, D., Barbier, C., Sartre, J. and Huguet, C.
Fully automated high-performance liquid chromatographic assay for the analysis of free catecholamines in urine 11
Salonen, J. S., see Vuorilehto, L. 137
Samperi, R., see Carfagnini, G. 359
Samuelsen, O. B.
Simple and rapid method for the determination of flumequine and oxolinic acid in salmon (*Salmo salar*) plasma by high-performance liquid chromatography and fluorescence detection 452
Sano, A., see Azekawa, T. 47
Sartre, J., see Said, R. 11
Sasaki, H., see Takeda, S. 447
Sei, H., see Azekawa, T. 47
Seppänen-Laakso, T.
——, Laakso, I. and Hiltunen, R.
Rapid determination of unsubstituted alkylglyceryl ethers by gas chromatography–mass spectrometry 94
Seyama, Y., see Baba, S. 1
Spierdijk, J., see Vletter, A. A. 177
Srinivas, N. R.
——, Hubbard, J. W. and Midha, K. K.
Enantioselective gas chromatographic assay with electron-capture detection for *dl*-ritalinic acid in plasma 327
Steiner, V.
——, Knecht, R., Gruetter, M., Raschdorf, F., Gassmann, E. and Maschler, R.
Isolation and purification of novel hirudins from the leech *Hirudinaria manillensis* by high-performance liquid chromatography 273
Straka, R. J.
——, Johnson, K. A. Marshall, P. S. and Remmel, R. P.
Analysis of metopropol enantiomers in human serum by liquid chromatography on a cellulose-based chiral stationary phase 83
Sudo, Y., see Fujii, J. 469
Suetsugu, K., see Nakashima, K. 154
Sugiyanto
——, Holder, G. M. and Ryan, A. J.
High-performance liquid chromatographic method for the determination of polycyclic hydrocarbon metabolite distributions 337
Takada, K.
——, Oh-Hashi, M., Yoshikawa, H., Muranishi, S., Nishiyama, M., Yoshida, H., Hata, T. and Tanaka, H.
Determination of a novel potent immunosuppressant (FK-506) in rat serum and lymph by high-performance liquid chromatography with chemiluminescence detection 212
Takahata, Y., see Fujii, J. 469
Takeda, S.
——, Ono, H., Wakui, Y., Asami, A., Matsuzaki, Y., Sasaki, H., Aburada, M. and Hosoya, E.
Determination of glycyrrhetic acid in human serum by high-performance liquid chromatography with ultraviolet detection 447
Takeshima, S., see Yoshida, S. 57
Tanaka, H., see Takada, K. 212
Tjørnelund, J.
—— and Hansen, S. H.
Gas chromatographic assay for N,N-dimethylglycine in urine 227
Tokieda, T., see Tokuda, T. 418
Tokuda, T.
——, Tokieda, T., Anazawa, A. and Yoshioka, M.
Simultaneous determination of vanillylmandelic acid, homovanillic acid and creatinine in urine by reversed-phase ion-pair chromatography 418
Tvrzická, E.
——, Mareš, P., Votruba, M. and Hrabák, P.
Some limitations of plasma lipid analysis in clinical research by thin-layer chromatography with flame ionization detection 424
Urakami, K., see Yoshida, S. 57

Van Kempen, G. M. J., see Edelbroek, P. M. 347
Ville, G., see Ricard-Blum, S. 432
Vletter, A. A.
——, Burm, A. G. L., Breimer, L. T. M. and Spierdijk, J.
High-performance liquid chromatographic assay to determine midazolam and flumazenil simultaneously in human plasma 177
Votruba, M., see Tvrzická, E. 424
Vuorilehto, L.
——, Salonen, J. S. and Anttila, M.
Determination of detomidine residues in horse meat by negative-ion chemical ionization mass spectrometry 137
Wakui, Y., see Takeda, S. 447
Walmsley, L. M., see Morris, G. R. 377
Warshawsky, A., see Hasson, H. 219
Watari, N.
——, Mizumura, J. and Higuchi, S.
Simultaneous microdetermination of nicardipine and its pyridine metabolite in body fluids by capillary column gas chromatography with electron-capture detection 438
Welinder, B. S., see Linde, S. 29
Wolf, F. A. de, see Edelbroek, P. M. 347
Woods, G. W., see Liu, D. 235
Yoshida, H., see Takada, K. 212
Yoshida, M., see Adachi, Y. 39
Yoshida, M., see Nakashima, K. 154
Yoshida, S.
——, Urakami, K., Kito, M., Takeshima, S. and Hirose, S.
High-performance liquid chromatography with chemiluminescence detection of serum levels of pre-column derivatized fluoropyrimidine compounds 57
Yoshikawa, H., see Takada, K. 212
Yoshioka, M., see Tokuda, T. 418
Zanetti, M., see Guenzi, A. 397
Zürcher, G.
—— and Da Prada, M.
Simple automated high-performance liquid chromatographic column-switching technique for the measurement of dopa and 3-O-methyldopa in plasma 253

Subject Index

Acetaminophen
Liquid–liquid extraction and analysis of paracetamol (acetaminophen) and its major metabolites in biological fluids by reversed-phase ion-pair chromatography 222

Acetylhomotaurinate, calcium salt
Determination of calcium acetylhomotaurinate in human plasma and urine by combined GC–negative-ion chemical ionization MS 295

Alkylglyceryl ethers
Rapid determination of unsubstituted alkylglyceryl ethers by GC–MS 94

Allopurinol
Simultaneous determination of allopurinol and oxypurinol by LC using immobilized xanthine oxidase with electrochemical detection 65

Ambroxol
Determination of ambroxol in biological material by GC with electron-capture detection 141

Amifloxacin
Determination of amifloxacin and two of its principal metabolites in plasma and urine by HPLC using automated column switching 407

Amifloxacin, piperazinyl-N-desmethyl metabolite
Determination of amifloxacin and two of its principal metabolites in plasma and urine by HPLC using automated column switching 407

Amifloxacin, piperazinyl-N-oxide metabolite
Determination of amifloxacin and two of its principal metabolites in plasma and urine by HPLC using automated column swtiching 407

N-(4-Aminobutyl)-N-ethylisoluminol
HPLC–chemiluminescence determination of methamphetamine in human serum using N-(4-aminobutyl)-N-ethylisoluminol as a chemiluminogen 154

Androstenedione
use of radio-GC and tritium label to optimize derivatization procedures 1

Aniracetam
Determination of aniracetam and its main metabolite, N-anisoyl-GABA, in human plasma by HPLC 397

N-Anisoyl-GABA
Determination of aniracetam and its main metabolite, N-anisoyl-GABA, in human plasma by HPLC 397

Antidepressants, tricyclic
Antidepressants in serum determined by isolation with two on-line sorbent cartridges and LC 359

Barbiturates
Identification and differentiation of barbiturates, other sedative-hypnotics and their metabolites in urine integrated in a general screening procedure using computerized GC–MS 307

Benzo[*a*]pyrene
HPLC method for the determination of polycyclic hydrocarbon metabolite distributions 337

Breath hydrogen test
Value of breath hydrogen test in detection of hypolactasia in patients with chronic diarrhoea 102

4-(Bromometryl)-7-methoxycoumarin
HPLC with chemiluminescence detection of serum levels of pre-column derivatized fluoropyrimidine compounds 57

Camptothecin
Determination of camptothecin in biological fluids using reversed-phase HPLC with fluorescence detection 367

Catecholamines
Fully automated HPLC assay for the analysis of free catecholamines in urine 11

5-Chlorouracil
HPLC with chemiluminescence detection of serum levels of pre-column derivatized fluoropyrimidine compounds 57

Ciprofloxacin
Simultaneous HPLC determination of ciprofloxacin, fenbufen and felbnac in rat plasma 186

Cisplatin
HPLC determination of *cis*-diamminedichloroplatinum(II) (cisplatin) as the *o*-phenylenediamine complex 219

Collagens
Polyacrylamide gel electrophoresis and immunoblotting of native collagen molecules using the Phast system. Application to type XI collagen 432

Creatinine
Simultaneous determination of vanillylmandelic acid, homovanillic acid and creatinine in urine by reversed-phase ion-pair chromatography 418

7-Dehydrocholesterol
Determination of 7-dehydrocholesterol in human skin by HPLC 19

7-Deoxydoxorubicin aglycone
HPLC of iodo-doxorubicin and fluorescent metabolites in plasma samples 192
7-Deoxydoxorubicinol aglycone
HPLC of iodo-doxorubicin and fluorescent metabolites in plasma samples 192
Detomidine
Determination of detomidine residues in horse meat by negative-ion chemical ionization MS 137
cis-Diamminedichloroplatinum(II)
HPLC determination of *cis*-diamminedichloroplatinum(II) (cisplatin) as the *o*-phenylenediamine comples 219
Dibenz[*aj*]acridine
HPLC method for the determination of polycyclic hydrocarbon metabolite distributions 337
1,4-Diethenylbenzene
Biotransformation of diethenylbenzenes. II. Metabolic pattern of 1,4-diethenylbenzene 283
Diethenylbenzenes
Biotransformation of diethenylbenzenes. II. Metabolic pattern of 1,4-diethenylbenzene 283
7-(Diethylamino)-3-[4-(iodoacetyl)amino)phenyl]-4-methylcoumarin
HPLC with chemiluminescence detection of serum levels of pre-column derivatized fluoropyrimidine compounds 57
Dihydropyridine
HPLC of the metabolites of nitrendipine and investigation into the metaolic pathway of this dihydropyridine 206
3,4-Dihydroxyphenyl-L-alanine
Simple automated HPLC column-switching technique for the measurement of dopa and 3-O-methyldopa in plasma 253
Dilevalol
HPLC assay of dilevalol, a β-adrenoceptor blocker, in rat a human plasma 458
N,N-Dimethylglycine
GC assay for N,N-dimethylglycine in urine 227
DOPA
Simple automated HPLC column-switching technique for the measurement of dopa and 3-O-methyldopa in plasma 253
Dopamine
Fully automated HPLC assay for the analysis of free catecholamines in urine 11
Doxorubicin aglycone
HPLC of iodo-doxorubicin and fluorescent metabolites in plasma samples 192
Doxorubicinol aglycone
HPLC of iodo-doxorubicin and fluorescent metabolites in plasma samples 192
β-Endorphin
Proenkephalin A and proopiomelanocortin peptides in human cerebrosphinal fluid 235
Endotoxins
Removal of endotoxins using macroporous spherical poly(γ-methyl L-glutamate) beads and their derivatives 148
Enzymes
HPLC procedure for the determination of serum prolidase activity 116
Enzymes
Assay of γ-glutamylcysteine synthetase and glutathione synthetase in erythrocytes by HPLC with fluorimetric detection 122
Enzymes
Simple fractionation of phospholipase A_2 analogues from snake venom by HPLC 129
Enzymes
Selective elution of soluble rat liver glutathione transferases from a glutathione-Sepharose affinity column 263
Epinephrine
Fully automated HPLC assay for the analysis of free catecholamines in urine 11
Felbinac
Simultaneous HPLC determination of ciprofloxacin, fenbufen and felbinac in rat plasma 186
Fenbufen
Simultaneous HPLC determination of ciprofloxacin, fenbufen and felbinac in rat plasma 186
FK-506
Determination of a novel potent immunosuppressant (FK-506) in rat serum and lymph by HPLC with chemiluminescence detection 212
Flumazenil
HPLC assay to determine midazolam and flumazenil simultaneously in human plasma 177
Flumequine
Simple and rapid method for the determination of flumequine and oxolinic acid in salmon (*Salmo salar*) plasma by HPLC and fluorescence detection 452
5-Fluoro-5′-deoxyuridine
HPLC with chemiluminescence detection of serum levels of pre-column derivatized fluoropyrimidine compounds 57
Fluoropyrimidines
HPLC with chemiluminescence detection of serum levels of pre-column derivatized fluoropyrimidine compounds 57
5-Fluorouracil
HPLC with chemiluminescence detection of serum levels of pre-column derivatized fluoropyrimidine compounds 57

5-Fluorouridine
HPLC with chemiluminescence detection of serum levels of pre-column derivatized fluoropyrimidine compounds 57
Ftorafur
HPLC with chemiluminescence detection of serum levels of pre-column derivatized fluoropyrimidine compounds 57
γ-Glutamylcysteine sythetase
Assay of γ-glutamylcysteine synthetase and glutathione synthetase in erythrocytes by HPLC with fluorimetric detection 122
Glutathione synthetase
Assay of γ-glutamylcysteine synthetase and glutathione synthetase in erythrocytes by HPLC with fluorimetric detection 122
Glutathione transferases
Selective elution of soluble rat liver glutathione transferases from a glutathione-Sepharose affinity column 263
Glycyrrhetic acid
Determination of glycyrrhetic acid in human serum by HPLC with UV dectection 447
Hexadecane
Use of radio-GC and tritium label to optimize derivatization procedures 1
Hirudins
Isolation and purification of novel hirudins from the leech *Hirudinaria manillensis* by HPLC 273
HMG1
Efficient large-scale purification of non-histone chromosomal proteins HMG1 and HMG2 by using Polybuffer-exchanger PBE94 39
HMG2
Efficient large-scale purification of non-histone chromosomal proteins HMG1 and HMG2 by using Polybuffer-exchanger PBE94 39
Homovanillic acid
Simultaneous determination of vanillylmandelic acid, homovanillic acid and creatinine in urine by reversed-phase ion-pair chromatography 418
Hydrogen
Value of breath hydrogen test in detection of hypolactasia in patients with chronic diarrhoea 102
6-Hydroxyphenprocoumon
Analysis of phenprocoumon, and its hydroxylated and conjugated metabolites in human urine by HPLC after solid-phase extraction 347
Iodo-doxorubicin
HPLC of iodo-doxorubicin and fluorescent metabolites in plasma samples 192
Iodo-doxorubicinol
HPLC of iodo-doxorubicin and fluorescent metabolites in plasma samples 192
6-Keto-prostaglandin $F_{1\alpha}$
Use of radio-GC and tritium label to optimize derivatization procedures 1
Kynurenic acid
Quantification of kynurenic acid in cerebrospinal fluid: effects of systemic and central L-kynurenine administration 108
L-Kynurenine
Quantification of kynurenic acid in cerebrospinal fluid: effects of systemic and central L-kynurenine administration 108
Labetolol
HPLC assay of dilevalol, a β-adrenoceptor blocker, in rat and human plasma 458
Lipids
Some limitations of plasma lipid analysis in clinical research by TLC with flame ionization detection 424
Loxoprofen
HPLC determination of loxoprofen and its diastereomeric alcohol metabolites in biological fluids by fluorescence labelling with 4-bromomethyl-6,7-methylenedioxycoumarin 387
Melatonin
Concurrent on-line sampling of melatonin in pineal microdialysates from conscious rat and its analysis by HPLC with electrochemical detection 47
Methamphetamine
HPLC–chemiluminescence determination of methamphetamine in human serum using N-(4-aminobutyl)-N-ethylisoluminol as a chemiluminogen 154
Methionine
HPLC of rat and mouse islet polypeptides: potential risk of oxidation of methionine residues during sample preparation 29
Methionine enkephalin
Proenkephalin A and proopiomelanocortin peptides in human cererospinal fluid 235
7-Methylbenz[*c*]acridine
HPLC method for the determination of polycyclic hydrocarbon metabolite distributions 337
3-O-Methyldopa
Simple automated HPLC column-switching technique for the measurement of dopa and 3-O-methyldopa in plasma 253
Methylphenidate
Enantioselective GC assay with electron-capture detection for *dl*-ritalinic acid in plasma 327

Metoprolol
Analysis of metoprolol enantiomers in human serum by LC on a cellulose-based chiral stationary phase 83
Mexiletine
HPLC of mexiletine in plasma 164
Midazolam
HPLC assay to determine midazolam and flumazenil simultaneously in human plasma 177
Neuropeptides
Proenkephalin A and proopiomelanocortin peptides in human cerebrospinal fluid 235
Nicardipine
Simultaneous microdetermination of nicardipine and its pyridine metabolite in body fluids by capillary column GC with electron-capture detection 438
Nicardipine
HPLC method for the measurement of nicardipine in plasma or serum 463
Nicardipine, pyridine metabolite
Simultaneous microdetermination of nicardipine and its pyridine metabolite in body fluids by capillary column GC with electron-capture detection 438
Nitrendipine
HPLC of the metabolites of nitrendipine and investigation into the metabolic pathways of this dihydropyridine 206
Norepinephrine
Fully automated HPLC assay for the analysis of free catecholamines in urine 11
Oxatomide
Rapid determination of serum oxatomide levels with on-line precolumn solid-phase extraction 469
Oxolinic acid
Analysis of oxolinic acid in fish by HPLC 75
Oxolinic acid
Simple and rapid method for the determination of flumequine and oxolinic acid in salmon (*Salmo salar*) plasma by HPLC and fluorescence detection 452
Oxypurinol
Simultaneous determination of allopurinol and oxypurinol by LC using immobilized xanthine oxidase with electrochemical detection 65
Paracetamol
Liquid–liquid extraction and analysis of paracetamol (acetaminophen) and its major metabolites in biological fluids by reversed-phase ion-pair chromatography 222
Paracetamol glucuronide
Liquid–liquid extraction and analysis of paracetamol (acetaminophen) and its major metabolites in biological fluids by reversed-phase ion-pair chromatography 222
Paracetamol sulphate
Liquid–liquid extraction and analysis of paracetamol (acetaminophen) and its major metabolites in biological fluids by reversed-phase ion-pair chromatography 222
Pentazocine
HPLC determination of pentazocine in plasma 200
Peptides
HPLC of rat and mouse islet polypeptides: potential risk of oxidation of methionine residues during sample preparation 29
Peptides
Proenkephalin A and proopiomelanocortin peptides in human cerebrospinal fluid 235
Phenprocoumon
Analysis of phenprocoumon and its hydroxylated and conjugated metabolites in human urine by HPLC after solid-phase extraction 347
Phenylbutazone
Improved stability of phenylbutazone for its determination by LC 160
Phospholipase A_2
Simple fractionation of phospholipase A_2 analogues from snake venom by HPLC 129
Polycyclic hydrocarbons
HPLC method for the determination of polycyclic hydrocarbon metabolite distributions 337
Poly(γ-methyl L-glutamate)
Removal of endotoxins using macroporous spherical poly(γ-methyl L-glutamate) beads and their derivatives 148
Polypeptides
HPLC of rat and mouse islet polypeptides: potential risk of oxidation of methionine residues during sample preparation 29
Proenkephalin A
Proenkephalin A and proopiomelanocortin peptides in human cerebrospinal fluid 235
Prolidase
HPLC procedure for the determination of serum prolidase activity 116
Proopiomelanocortin
Proenkephalin A and proopiomelanocortin peptides in human cerebrosphinal fluid 235
Prostaglandins
Use of radio-GC and tritium label to optimize derivatization procedures 1

Proteins
Efficient large-scale purification of non-histone chromosomal proteins HMG1 and HMG2 by using Polybuffer-exchanger PBE94 39
Radio-gas chromatography
Use of radio-GC and tritium label to optimize derivatization procedures 1
Ritalinic acid
Enantioselective GC assay with electron-capture detection for *dl*-ritalinic acid in plasma 327
Sedative-hypnotics
Identification and differentiation of barbiturates, other sedative-hypnotics and their metabolites in urine integrated in a general screening procedure using computerized GC–MS 307
Steroids
Determination of 7-dehydrocholesterol in human skin by HPLC 19
Tacrine
HPLC for the determination of tacrine and its metabolites in plasma 170
Tritium
Use of radio-GC and tritium label to optimize derivatization procedures 1
Vanillylmandelic acid
Simultaneous determination of vanillylmandelic acid, homovanillic acid and creatinine in urine by reversed-phase ion-pair chromatography 418
Xanthine oxidase reactor
Simultaneous determination of allopurinol and oxypurinol by LC using immobilized xanthine oxidase with electrochemical detection 65
Ximoprofen
Determination of ximoprofen and its metabolites in human urine by HPLC with UV absorbance detection 377
Zidovudine
Simple and rapid assay for zidovudine and zidovudine glucuronide in plasma using HPLC 474
Zidovudine glucuronide
Simple and rapid assay for zidovudine and zidovudine glucuronide in plasma using HPLC 474